

MILLER CHEMICAL & FERTILIZER, LLC

Safety Data Sheet

Section 1 – Chemical Product and Company Identification

Product Name: Miller Exit[®] Chemical Name: Adjuvant Common Name, Synonym: Proprietary Material Uses: Agricultural Adjuvant Manufacturer/Manufactured For: Miller Chemical and Fertilizer, LLC Phone: (717) 632-8921 FAX: (717) 646-1104 CHEMTREC: (800) 424-9300

Section 2 – Hazard Identification

2.1 Classification of the substance or mixture GHS Classification (29 CFR 1910.1200)

Skin Sensitization (Category 1b) Skin Irritation (Category 2)

2.2 Label elements

GHS Labeling Elements

Pictogram: Vignal Word: Warning

Hazard Statements: Causes skin irritation. May cause an allergic skin reaction.

Precautionary Statements: Avoid breathing dust/fume/gas/mist/vapors/spray. Wash skin thoroughly after handling. Wear protective gloves. Contaminated clothing must not be allowed out of the workplace. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations.

of Ingredients	
CAS Number	%
	100
_	CAS Number



Product Name: Miller Exit®

PA Right to Know: This product contains proprietary ingredients.

This product contains the following chemicals subject to the reporting requirements of Section 13Title III of the Superfund Amendments and Reauthorization act of 1986 and 40 CFR part 372 (the corresponding CAS numbers and typical percent by weight are also provided).

None

Section 4 – First Aid Measures

EYE CONTACT

Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart to ensure flushing of entire surface. Call a physician.

SKIN CONTACT

Immediately flush skin with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. Thoroughly clean clothing and shoes before reuse. Call a physician.

INHALATION

Remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Call a physician.

INGESTION

If swallowed, DO NOT induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head bellow hips to prevent breathing vomit into lungs. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Call a physician immediately!

Section 5 – Fire-Fighting Measures

Flash Point (METHOD):	330°C (TCC)
Auto-Ignition:	Not Available
Flammable Limits:	Not Available
Extinguishing Media:	Use alcohol foam, carbon dioxide, water fog, dry chemical, or
	halon when fighting fires involving this material.
Special Fire Fighting Procedures:	None currently known.
Unusual Fire and Explosion Hazards:	Oxides of carbon may be generated.

Section 6 – Accidental Release Measures

Personal precautions

Evacuate non-essential personnel, eliminate ignition sources, and wear protective equipment (See Section VIII). Shut off source of leak only if safe to do so. Wear respiratory equipment if exposure limits are exceeded.



Contain spill

Recover free product. To clean up residue, flush sparingly with water or use an absorbent. Avoid runoff to ground water, surface waters, and sewers. It may be necessary to remove contaminated soil. If product is flammable or combustible, use non-sparking tools. If required, notify state and local authorities.

Disposal Method

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be reprocessed or incinerated. Incineration must be handled in a permitted facility. Dispose of material in accordance with all Federal, State and Local regulations. Local regulations may be more stringent than Federal or State.

	Section 7 – Handling and Storage		
Handling:	Wear protective equipment when handling. Wash thoroughly after handling. Do not get in eyes. Do not breathe vapor, mist, or dust. Avoid prolonged or repeated contact with skin. Do not swallow.		
Storage:	For industrial use only. Keep container closed when not in use. Store in a cool dry place between 41°F and 120°F. Keep out of reach of children.		
	Se	ection 8 – Exposure Controls/Personal Protection	
Engineering C Mechanical:		ventilation is preferred.	
Respiratory P	rotection:	If exposure limits are exceeded, or if exposure may occur, use a NIOSHA/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSHA publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSHA/MSHA approved positive pressure-breathing apparatus should be readily available.	
Eye Protection	n:	Chemical goggles or face shield. Always wear eye protection when working with chemicals. Never wear contact lenses when working with chemicals.	
Skin Protectio	in:	Rubber gloves. Clean protective body covering, rubber apron, and rubber boots.	
Work Hygieni	c Practices:	Avoid contact with skin, eyes, and clothing. After handling this product, wash hands before eating, drinking or smoking. If contact occurs, remove contaminated clothing. If needed, take First Aid action shown in Section IV. Launder contaminated clothing before use.	



	ly available.			
Section 9 – Physical and Chemical Properties				
Appearance:	Amber to brown liquid			
Odor:	Moderate Oder			
pH (aqueous approx. 5% in DW):	6.0 – 7.0 @ 20°C			
Boiling point/Boiling range:	224°C			
Freeze Point:	< 0°C			
Flash Point:	330°C (TCC)			
Vapor Pressure (mmHg):	22.8			
Vapor Density (Air=1):	Not Determined			
Solubility in Water:	emulsifies			
Density:	7.60 – 7.70 lbs/gal @ 68°F (20°C)			
Specific Gravity (H₂O=1 @ 4°C):	0.9 – 0.93 @ 68°F (20°C)			
Evaporation Rate (NA=1):	Not Determined			
Percent Volatile by Volume:	Not Determined			
Sec	tion 10 – Stability and Reactivity			
	Stable			
Chemical Stability:	Stable			
Materials to Avoid:	Strong oxidizers			
Materials to Avoid:				
Materials to Avoid: Conditions to Avoid:	Strong oxidizers High Temperatures, Freezing and sources of ignition			
Materials to Avoid: Conditions to Avoid: Hazardous Decomposition or Byprode	Strong oxidizers High Temperatures, Freezing and sources of ignition			
Conditions to Avoid: Hazardous Decomposition or Byprode Hazardous Polymerization:	Strong oxidizers High Temperatures, Freezing and sources of ignition ucts: Carbon oxides (CO, CO ₂ , C ₂ O ₄ , etc.)			
Materials to Avoid: Conditions to Avoid: Hazardous Decomposition or Byprode Hazardous Polymerization:	Strong oxidizers High Temperatures, Freezing and sources of ignition ucts: Carbon oxides (CO, CO ₂ , C ₂ O ₄ , etc.) Will not occur ion 11- Toxicological Information			
Materials to Avoid: Conditions to Avoid: Hazardous Decomposition or Byprode Hazardous Polymerization:	Strong oxidizers High Temperatures, Freezing and sources of ignition ucts: Carbon oxides (CO, CO ₂ , C ₂ O ₄ , etc.) Will not occur			
Materials to Avoid: Conditions to Avoid: Hazardous Decomposition or Byprodu Hazardous Polymerization: Sect	Strong oxidizers High Temperatures, Freezing and sources of ignition Carbon oxides (CO, CO ₂ , C ₂ O ₄ , etc.) Will not occur ion 11- Toxicological Information Toxicity Data:			
Materials to Avoid: Conditions to Avoid: Hazardous Decomposition or Byprode Hazardous Polymerization: Sect Acute Eye Irritation: May cause irritation	Strong oxidizers High Temperatures, Freezing and sources of ignition Carbon oxides (CO, CO ₂ , C ₂ O ₄ , etc.) Will not occur ion 11- Toxicological Information Toxicity Data: tion			
Materials to Avoid: Conditions to Avoid: Hazardous Decomposition or Byprode Hazardous Polymerization: Section Section Acute Eye Irritation: May cause irritation Skin Sensitization: Moderate potentia	Strong oxidizers High Temperatures, Freezing and sources of ignition Carbon oxides (CO, CO ₂ , C ₂ O ₄ , etc.) Will not occur ion 11- Toxicological Information Toxicity Data: tion al to produce sensitization			
Materials to Avoid: Conditions to Avoid: Hazardous Decomposition or Byprodu Hazardous Polymerization: Section Acute Eye Irritation: May cause irritation Skin Sensitization: Moderate potentiation Acute Dermal Effects: LD ₅₀ >5000 mg	Strong oxidizers High Temperatures, Freezing and sources of ignition Carbon oxides (CO, CO ₂ , C ₂ O ₄ , etc.) Will not occur ion 11- Toxicological Information Toxicity Data: tion al to produce sensitization //kg (rat)			
Materials to Avoid: Conditions to Avoid: Hazardous Decomposition or Byprodu Hazardous Polymerization: Section Acute Eye Irritation: May cause irritation Skin Sensitization: Moderate potentiation Acute Dermal Effects: LD ₅₀ >5000 mg Acute Dermal Irritation: 3.4/8 (rabbit	Strong oxidizers High Temperatures, Freezing and sources of ignition Carbon oxides (CO, CO ₂ , C ₂ O ₄ , etc.) Will not occur ion 11- Toxicological Information Toxicity Data: tion al to produce sensitization i/kg (rat) t) moderately irritating			
Materials to Avoid: Conditions to Avoid: Hazardous Decomposition or Byprodu Hazardous Polymerization: Secti Acute Eye Irritation: May cause irritat Skin Sensitization: Moderate potentia Acute Dermal Effects: LD ₅₀ >5000 mg Acute Oral Effects: LD ₅₀ >5000 mg/kg	Strong oxidizers High Temperatures, Freezing and sources of ignition Carbon oxides (CO, CO ₂ , C ₂ O ₄ , etc.) Will not occur ion 11- Toxicological Information Toxicity Data: tion al to produce sensitization i/kg (rat) t) moderately irritating			
Materials to Avoid: Conditions to Avoid: Hazardous Decomposition or Byprodu Hazardous Polymerization: Secti Acute Eye Irritation: May cause irritat Skin Sensitization: Moderate potentia Acute Dermal Effects: LD ₅₀ >5000 mg/kg Acute Oral Effects: LD ₅₀ >5000 mg/kg Mutagenicity: Data not available	Strong oxidizers High Temperatures, Freezing and sources of ignition Carbon oxides (CO, CO ₂ , C ₂ O ₄ , etc.) Will not occur ion 11- Toxicological Information Toxicity Data: tion al to produce sensitization /kg (rat) t) moderately irritating t (rat)			
Materials to Avoid: Conditions to Avoid: Hazardous Decomposition or Byprodu Hazardous Polymerization: Section Acute Eye Irritation: May cause irritation Skin Sensitization: Moderate potentiation Acute Dermal Effects: LD ₅₀ >5000 mg Acute Dermal Irritation: 3.4/8 (rabbit	Strong oxidizers High Temperatures, Freezing and sources of ignition Carbon oxides (CO, CO ₂ , C ₂ O ₄ , etc.) Will not occur ion 11- Toxicological Information Toxicity Data: tion al to produce sensitization /kg (rat) t) moderately irritating t (rat)			
Materials to Avoid: Conditions to Avoid: Hazardous Decomposition or Byprodu Hazardous Polymerization: Section Acute Eye Irritation: May cause irritation Skin Sensitization: Moderate potentiation Acute Dermal Effects: LD ₅₀ >5000 mg, Acute Dermal Irritation: 3.4/8 (rabbit Acute Oral Effects: LD ₅₀ >5000 mg/kg Mutagenicity: Data not available Acute Inhalation Effects: LC ₅₀ > 5.88 r	Strong oxidizers High Temperatures, Freezing and sources of ignition Carbon oxides (CO, CO ₂ , C ₂ O ₄ , etc.) Will not occur ion 11- Toxicological Information Toxicity Data: tion al to produce sensitization /kg (rat) t) moderately irritating t (rat)			



Ecotoxicity: This product is a spray adjuvant and large spills may cause damage to vegetation. Contamination of waterways may cause fish kills. Prevent spread and runoff into drains, storm sewers and ditches that lead to waterways.

Aquatic Toxicity:	Daphnia Magna: LC ₅₀ 8.26 mg/L
	Bluegill Sunfish: LC ₅₀ 11.08 mg/L
	Rainbow Trout: LC ₅₀ 8.98 mg/L
Environmental Fate	: Data not available

Section 13 – Disposal Considerations

Disposal:	If uncontaminated, recover and reuse as product. If contaminated with other materials, the nature and extent of contamination may require use of specialized disposal methods. Consult local, county, state, or federal regulatory agencies for acceptable disposal procedures and disposal locations
Disposal Regulatory Requirements:	Consult local, county, state, or federal regulatory agencies for acceptable disposal procedures and disposal locations
Container Cleaning and Disposal:	Consult local, county, state, or federal regulatory agencies for acceptable disposal procedures and disposal locations

Section 14 – Transport Information

SECTION 14 NOTES: This product is not considered a shipping hazard

U.S. DEPARTMENT OF TRANSPORTATION PROPER SHIPPING NAME: Not applicable PACKING GROUP: Not applicable HAZARD CLASS: Not applicable LABEL/PLACARD REQUIRED: Not applicable UN/NA No.: Not applicable

WATER TRANSPORTATION PROPER SHIPPING NAME: Not applicable PACKING GROUP: Not applicable HAZARD CLASS: Not applicable LABEL/PLACARD REQUIRED: Not applicable UN/NA No.: Not applicable

AIR TRANSPORTATION PROPER SHIPPING NAME: Not applicable PACKING GROUP: Not applicable HAZARD CLASS: Not applicable LABEL/PLACARD REQUIRED: Not applicable

Product Name: Miller Exit®



	Product Name: Miller Exit®		
UN/NA No.: No	ot applicable		
OTHER AGENCIES:			
ADR/RID: Not	-		
IMDG: Not Re	-		
IATA: Not Reg	Julated		
Section 15 – Regulatory Information			
EPA Regulations:			
Reportable Qu	uantity –CERCLA:		
Naphthalene CAS No. – 91-20-3 RQ – 100 lbs.			
SARA Title III	(EPCRA):		
Napht	thalene CAS No. – 91-20-3 Concentration <0.5%		
RCRA Waste C	Code: Not applicable		
State Regulations:			
CA Proposition California to c	n 65: WARNING! This product contains a chemical known in the state of		
Camornia to c	ause cancer.		
	EPA National Response Center (800) 424-8802		
	Section 16 – Other Information		
Preparation Date: 02,			
• •	hemical Regulatory Compliance Officer		
Revision Date: 9/14/2	016		
Revision Notes:			
NOTICE TO READER:	THE INFORMATION CONTAINED IN THIS SAFETY DATA SHEET ("SDS") RELATES ONLY TO THE SPECIFIC PRODUCT(S) DESIGNATED HEREIN (THE "PRODUCT"). THE INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE BASED UPON DATA BELIEVED TO BE CURRENT AND CORRECT AS OF THE DATE OF THIS SDS, AND OBTAINED FROM SOURCES THAT ARE BELIEVED TO BE RELIABLE. HOWEVER, THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, REPRESENTATIONS OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO ACCURACY, CORRECTNESS, OR COMPLETENESS, AND NEITHER MILLER CHEMICAL AND FERTILIZER, LLC. NOR ITS MARKETING AFFILIATES (EACH, A "SELLER") ASSUME ANY LEGAL RESPONSIBILITY FOR THE USE OR RELIANCE UPON SAME.		