



A HUBER COMPANY

Vitrient™

FOLIAR FERTILIZER

KEEP OUT OF REACH OF CHILDREN

CAUTION

This product contains BORON and MOLYBDENUM. The application of fertilizing materials containing molybdenum may result in forage crops containing levels of molybdenum which are toxic to ruminant animals. Crops sensitive to either or both of these two elements may be injured.

GUARANTEED ANALYSIS

Boron(B)	1.65%	Molybdenum (Mo)	0.16%
Cobalt (Co)	0.075%	Zinc (Zn)	0.16%
0.075% Chelated Cobalt (Co)		0.16% Chelated Zinc (Zn)	
Iron (Fe)	0.16%	<i>Derived From : Manganese EDTA, Zinc EDTA, Iron EDTA, Boric Acid, Ammonium Molybdate, Cobalt EDTA and Carboxylic Acid. Chelating agent is EDTA (ethylenediaminetetraacetic acid).</i>	
0.16% Chelated Iron (Fe)			
Manganese (Mn)	10.00%		
10.00% Chelated Manganese (Mn)			



DANGER

MAY DAMAGE FERTILITY OR THE UNBORN CHILD.

PRECAUTIONARY STATEMENTS

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Wear protective gloves / protective clothing / eye protection / face protection.
- If exposed or concerned: Get medical advice/attention.
- Store Locked up.
- Dispose of contents/ container to an approved waste disposal.

FIRST AID

EYE CONTACT	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.
SKIN CONTACT	Wash with plenty of water for at least 15 minutes. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash before reuse.
INHALATION	Remove to fresh air. If not breathing, give artificial respiration, preferably by mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.
INGESTION	If swallowed, DO NOT induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Call a physician immediately!

DIRECTIONS FOR USE

USE	METHOD	RATE
TO IMPROVE PLANT VIGOR AND TO PROMOTE CROP PRODUCTION*	FOLIAR	0.5 – 1 lbs per acre (0.6 - 1.1 kg/ha)
	FERTIGATION	0.5 – 2 lbs per acre (0.6 – 2.2 kg/ha)

*Apply as a foliar application to supplement the normal soil applied fertility program.

COMPATIBILITY STATEMENT

Vitrient is soluble in water. When mixing; do NOT pre-mix in a small amount of water before adding to the spray tank. Science Bean Mix should be added slowly to the majority of the spray water volume while it is being agitated. Agitation should continue for a minute or two after the addition of Science Bean Mix. If pesticides are to be used in the spray mix, add them after the Science Bean Mix has dissolved. Information regarding the contents and levels of metals in this product is available at <https://www.aapco.org/metals.html>

NOTICE OF WARRANTY

Miller Chemical and Fertilizer, LLC warrants that this product conforms to its labeled chemical description and is reasonably suitable for the specified purposes when used as directed. However, inherent risks exist, including weather conditions, other substances, or variations in use beyond Miller's control which may result in crop injury, ineffectiveness, or other unintended consequences. Miller is not liable for consequential, special, or indirect damages resulting from product use or handling. MILLER MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE NOR OTHER EXPRESS OR IMPLIED WARRANTY.

For raw material information, contact Miller Chemical & Fertilizer, LLC, at productinfo@millerchemical.com, referencing the batch number on the container.

Manufactured by:

MILLER CHEMICAL & FERTILIZER, LLC
P.O. Box 333, Hanover, PA 17331 • U.S.A.

02/2024

NET WEIGHT: 25 LBS (11.34 kg)